

Specification

RiviK2 (MK-7) Powder-Vitamin
K2 all-trans MK-7 –
2000 ppm on Maltodextrin

Article No.: 7801300
Specification Type: Standard
Version: 3
Issue Date: 27/01/2022

Appearance	White to light yellow flowing powder, without impurities
Assay (Vitamin K2 (MK-7))	Min. 2000 ppm
Moisture	Max. 5.0 %
Ash	Max. 3.0 %
MK-6	Max. 1.0 %
Cis-MK-7	Max. 1.0 %
Single unknown impurities	Max. 1.0 %
Impurities	max. 2.0 %
As	Max. 0.1 ppm
Pb	Max. 0.1 ppm
Hg	Max. 0.05 ppm
Cd	Max. 0.1 ppm
Total Plate Count	Max. 1000 cfu/g
Yeasts / Moulds	Max. 100 cfu/g
E. coli	negative
Coliform bacteria	max. 10 cfu/g
Salmonella	negative / 25 g
Staphylococcus	negative / 25 g

Released by: 27/01/2022, Patrick Wendland

Parameters indicated in this specification are based on our current, carefully determined knowledge. It is the users own responsibility to test and analyze materials and therefore corroborate that products are adequate for their applications.

The product complies with the legal requirements applicable in Germany (including applicable European Legislation). It is your duty, to check and ensure this for your country of destination. Please also inform us of any additional (legal) requirements from the destination country and we will check whether these are in line with our requirements.